



Computer-grade filtration
to protect against severe
power spikes and surges

Copier Guardian II

ELECTRONIC POWER CONDITIONER

Power Protection for Today's Digital Copiers and All Office Equipment

Voltage spikes are one of the main causes of system failures and cause thousands of service calls annually on all types of electronic systems. Most of those calls are avoidable. Smart Power Systems' transformer-based filters deliver unequaled performance. TBF™ technology protects against minor and severe spikes and surges that comprise over 80% of power problems.

What it does:

- Protects equipment against the most severe spikes and surges
- It reduces downtime, error codes, paper jams, "no problem found" service calls

Features:

- High voltage surge & lightning protection
- Low voltage spike & noise protection in common mode
- Prolonged over voltage protection
- Ground loop protection
- Identifies improper wiring
- Network RJ45 protection
- Phone line RJ11 protection

Resellers Benefits:

- Eliminate "No problem found" service calls on warranted equipment
- Safeguard the investment in equipment purchased
- Maintain or improve productivity
- Ensure system reliability
- Lower total cost of ownership
- Greater return on investment

Applications:

- Networked MFPs
- High Volume Copiers
- Phone Systems
- Workstations

...Since we are proactive and include a power filter on every copier in the field, we have the peace of mind in knowing that we are taking the majority of power irregularities out of the equation. The cost of installing a Copier Guardian power filter is a fraction of the expense compared to an additional service call created by a power issue or board failure...

Mark Curry
Steward Organization



Copier Guardian II

ELECTRONIC POWER CONDITIONER

Patented
Technology

Transformer Based Filters (TBF™)

Smart Power System's patented TBF™ technology is the first application of the differential transformer and electronic circuit to provide computer-grade filtration.

Patented TBF™ technology protects against minor and severe spikes and surges that comprise over 80% of power problems.

Benefits

Smart Power Systems' TBF™ technology eliminates power issues that cause disruption, degradation and destruction to electronic components.

Benefits include enhanced operation, reduced downtime and extended operating life.

Performance Factors

- ▶ Common Mode Noise Filtering
- ▶ Normal Mode Noise Filtering
- ▶ Filters the ground noises to less than 0.5 Volts
- ▶ Faulty Wiring Detection
- ▶ Surge Protection
- ▶ Prolonged Over Voltage Protection
- ▶ Correct Harmonic Distortions (Model Dependent)

Copier Guardian II...

- ▶ **REDUCES** Downtime
- ▶ **REDUCES** Error Codes
- ▶ **REDUCES** Paper Jams
- ▶ **REDUCES** "No Problem Found" Service Calls

Specifications

	COPIER GUARDIAN TBF	
INPUT/OUTPUT	120V	208V-240V
OUTPUT CURRENT	15 or 20 Amps	
OUTPUT RECEPTACLE	5-15R or 5-20R	6-15R or 6-20R
INPUT CORD AND PLUG	5-15P or 5-20P - 6 Feet	6-15P or 6-20P - 6 Feet
*SPIKE TRANSIENT LET THROUGH VOLTAGE (Common Mode)	<0.5 Volts	
*SPIKE TRANSIENT LET THROUGH VOLTAGE (Normal Mode)	<10 Volts	
TEL/MODEM/DSL PROTECTION	RJ11	
NETWORK PROTECTION	RJ45 Cat5e (Optional Cat6)	
SIZE (H x W x D) (In.)	6.15 x 4.5 x 1.75	
NET WEIGHT (Lbs. / Kg.)	2.05 / 0.9	
SAFETY	UL 1449 3rd. Edition, UL 991, UL1283	

All specifications are subject to change without notice.

* Tested under IEEE C62.41 Cat. A & B Ring wave

• Different models are available for 120V, 208V, 15 Amp or 20 Amp.



Listed UL 1449 / UL 991/UL1283

MODEL / PART NUMBER	DESCRIPTION
TBF15C-1120	120V/15A, two 5-15R outlets
TBF15C-1111TN	120V/15A, ONE 5-15R pigtail outlet, RJ11+RJ45
TBF15C-1121TN*	120V/15A, two 5-15R outlets, RJ11+RJ45
TBF15C-1131TN	120V/15A, two 5-15R outlets and one 5-15R pigtail outlet, RJ11+RJ45
TBF20C-1210	120V/20A, one 5-20R pigtail outlet

MODEL / PART NUMBER	DESCRIPTION
TBF20C-1211TN*	120V/20A, one 5-20R pigtail outlet, RJ11+RJ45
TBF20C-1221TN	120V/20A, one 5-15R outlet, one 5-20R pigtail outlet, RJ11+RJ45
TBF15C-2111TN	208V - 240V/15A, one 6-15R pigtail outlet, RJ11+RJ45
TBF20C-2211TN*	208V - 240V/20A, one 6-20R pigtail outlet, RJ11+RJ45
* Available in wall-mount	

800-882-8285

7409 Railhead Ln. • Houston, TX 77086 • Tel: 713-464-8000 Fax: 713-984-0841
Email: sales@smartpowersystems.com • www.smartpowersystems.com



01/23 P.N.17000410